

2018

## Preventing noise-induced hearing loss with a novel pharmaceutical

BrainsCAN, Western University

Brian Allman  
*Western University*

Paul Walton  
*Western University*

Shawn Whitehead  
*Western University*

Patti Kiser  
*Western University*

*See next page for additional authors*

Follow this and additional works at: <https://ir.lib.uwo.ca/brainscanresearchsummaries>



Part of the [Neurosciences Commons](#)

---

### Recommended Citation

BrainsCAN, Western University; Allman, Brian; Walton, Paul; Whitehead, Shawn; Kiser, Patti; Shilton, Brian; and Hayes, Sarah, "Preventing noise-induced hearing loss with a novel pharmaceutical" (2018). *Research Summaries*. 6.

<https://ir.lib.uwo.ca/brainscanresearchsummaries/6>

This Book is brought to you for free and open access by the BrainsCAN at Scholarship@Western. It has been accepted for inclusion in Research Summaries by an authorized administrator of Scholarship@Western. For more information, please contact [wlsadmin@uwo.ca](mailto:wlsadmin@uwo.ca).

---

## **Authors and Researchers**

BrainsCAN, Western University; Brian Allman; Paul Walton; Shawn Whitehead; Patti Kiser; Brian Shilton; and Sarah Hayes



# Preventing noise-induced hearing loss with a novel pharmaceutical

## Background

Hearing loss is one of the most prevalent chronic health conditions worldwide and one of the fastest-growing conditions facing Canadians. Age-related hearing loss is common but another leading cause of hearing loss worldwide is excessive exposure to loud noise. This could be environmental (e.g. city noise), recreational (e.g. loud music) or workplace (e.g. industry or military) related noise.

Hearing loss has huge implications on our ability to communicate effectively, and there is clear evidence that it increases the risk for developing dementia, including Alzheimer's disease, and accelerates age-related cognitive decline.

## The Research

It is well known that noise exposure leads to oxidative stress in the sensory cells in the cochlea, as well as in the brain. Since oxidative stress appears to be a common factor in noise trauma, we really need a trusted pharmaceutical to take after noise exposure that could effectively reduce the oxidative stress in both the cochlea and the brain. Unfortunately, no such treatment exists. There have been attempts to flood the body with traditional antioxidants but without success. A new approach was warranted to address this unmet clinical need.

Our plan is to therapeutically increase the levels of a natural antioxidant, catalase, in the cochlear and brain to reduce the oxidative stress. We have two problems to overcome - we have to target the catalase inside the cochlear and brain cells where it can most effectively combat oxidative stress, and we have to develop a delivery mechanism to cross the blood-brain barrier.

## The Findings

Through *in vitro* experiments with two models, we demonstrated that targeted catalase provides protection for cochlear cells against oxidative stress, including compared to a non-targeted antioxidant which was unable to provide any protection.

We used tiny membrane structures, known as exosomes, to package the catalase. These exosomes are part of the body's own transport mechanism for moving biomolecules between cells and have proved suitable here.

We were able to demonstrate production of this catalase in larger quantities necessary for future *in vivo* testing.

Finally, any new pharmaceutical must be demonstrated as safe overall before *in vivo* testing can take place. We chose to administer the catalase through the nose and we were able to show that it did cross the blood-brain barrier, without causing negative impacts on other organs in the body.

## Key Points

A targeted catalase, packaged and delivered via exosomes intranasally, provides protection for cochlear cells against oxidative stress, the kind of stress that results from loud noise exposure. It is able to cross the blood-brain barrier and does not result in negative outcomes elsewhere in the body.

## BrainsCAN Support

Rodent Cognition Core

## Western Faculty, Group or Institution

Department of Anatomy & Cell Biology, Schulich School of Medicine & Dentistry

## Next Steps

Having established that targeted catalase can safely protect cochlear cells from oxidative stress, that we can package it and transport it through the blood-brain barrier and that we can produce it in large quantities, the next step is to test the level of protection *in vivo* against actual noise-induced cochlear damage, hearing loss and auditory processing deficits, as well as the cognitive impairment that persists post-noise exposure.

## Western Researchers

Brian Allman  
Paul Walton  
Shawn Whitehead  
Patti Kiser  
Brian Shilton  
Sarah Hayes

© 2020 BrainsCAN Western University  
This Summary is licensed under a Creative Commons Attribution-Noncommercial-No Derivative Works 4.0 License

It is also available online at: [http://brainscan.uwo.ca/research/research\\_summaries/BRAL0220-R.html](http://brainscan.uwo.ca/research/research_summaries/BRAL0220-R.html)

---

Western  BrainsCAN  
Transforming brain research.