

2-10-2004

Erratum: Design and baseline characteristics of the stroke prevention by aggressive reduction in cholesterol levels (SPARCL) study (Cerebrovascular Diseases (2003) 16 (389-395))

Denis Crimmins

Central Coast Neurosciences Research

Stephen Davis

Royal Melbourne Hospital

Simon Dimmitt

Royal Perth Hospital

Geoffrey Donnan

Austin Health

Judith Frayne

The Alfred

See next page for additional authors

Follow this and additional works at: <https://ir.lib.uwo.ca/medpub>

Citation of this paper:

Crimmins, Denis; Davis, Stephen; Dimmitt, Simon; Donnan, Geoffrey; Frayne, Judith; Freilich, David; Gillies, David; Mikocki, Johannes; Schmidauer, Christoph; Schmidt, Reinhold; De Bleecker, Jan; Deceuninck, Frans; Tack, Phillippe; Thijs, Vincent; Robberecht, Wim; Gomes Fernandes, Jefferson; Beaudry, Michael; Cote, Robert; Hoyte, Keith; Lebrun, Louise Helene; Sahlas, Demetrios J.; Norris, John; Selchen, Daniel; Shuaib, Ashfaq; Simard, Denis; Spence, David; Teal, Philip; Winger, Michael; and Matamala, Gonzalo, "Erratum: Design and baseline characteristics of the stroke prevention by aggressive reduction in cholesterol levels (SPARCL) study (Cerebrovascular Diseases (2003) 16 (389-395))" (2004). *Department of Medicine Publications*. 293.

<https://ir.lib.uwo.ca/medpub/293>

Authors

Denis Crimmins, Stephen Davis, Simon Dimmitt, Geoffrey Donnan, Judith Frayne, David Freilich, David Gillies, Johannes Mikocki, Christoph Schmidauer, Reinhold Schmidt, Jan De Bleeker, Frans Deceuninck, Phillippe Tack, Vincent Thijs, Wim Robberecht, Jefferson Gomes Fernandes, Michael Beaudry, Robert Cote, Keith Hoyte, Louise Helene Lebrun, Demetrios J. Sahlas, John Norris, Daniel Selchen, Ashfaq Shuaib, Denis Simard, David Spence, Philip Teal, Michael Winger, and Gonzalo Matamala

Cerebrovasc Dis 2004;17:91–92

Design and Baseline Characteristics of the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) Study (Cerebrovasc Dis 2003;16:389–395)

The SPARCL Investigators

The publishers have been informed by the authors that the list of participating centers of the above mentioned article was not the most recent update. In addition, the members of the SPARCL Publication Sub-Committee were left out. The correct lists are published below.

The SPARCL Publication Sub-Committee

Wayne M. Clark (Oregon Stroke Center, Portland, Oreg., USA); Antonio Dávalos (Hospital Josep Trueta, Girona, Spain); Larry B. Goldstein (Duke University Medical Center, Durham, N.C., USA); Markku Kaste (Helsinki University Hospital, Helsinki, Finland); Lawrence Leiter (St. Michael's Health Center, Toronto, Ontario, Canada); Justin Zivin (University of California San Diego, San Diego, Calif., USA). Henrik Sillesen (Gentofte Hospital, University of Copenhagen, Copenhagen, Denmark).

The SPARCL Investigators

Australia: Denis Crimmins (Central Coast Neurosciences Research, Gosford); Stephen Davis (Royal Melbourne Hospital, Parkville); Simon Dimmitt (Royal Perth Hospital, Perth); Geoffrey Donnan (Austin & Repatriation Medical Centre, Heidelberg); Judith Frayne (Alfred Hospital, Prahran); David Freilich (Western Hospital, Footscray); David Gillies (Prince of Wales Hospital, Randwick). **Austria:** Johannes Mikocki (Wilhelminenspital der Stadt Wien, Wien); Christoph Schmidauer (Leopold-Franzens-Universität, Innsbruck); Reinhold Schmidt (Universitätsklinik für Neurologie, Graz). **Belgium:** Jan De Bleecker (AZ St. Lucas, Gent); Frans Deceuninck (Kliniek O.L.V. van Lourdes, Waregem); Phillippe Tack (St. Andries Ziekenhuis, Tielt); Vincent Thijs, Wim Robberecht (University Hospital Gasthuisberg, Leuven). **Brazil:** Jefferson Gomes Fernandes (Sao Lucas Hospital, Porto Alegre). **Canada:** Michael Beaudry (Complexe Hospitalier de la Sagamie, Chicoutimi, Quebec); Robert Cote (Montreal General Hospital, Montreal, Quebec); Keith Hoyte (Foothills Hospital, Calgary, Alberta); Louise-Hélène Lebrun (Hôpital Notre-Dame du CHUM, Montreal, Quebec); Demetrios J. Sahlas, John Norris (Sunnybrook Stroke Research Unit, Toronto, Ontario); Daniel Selchen (Trillium Health Centre, Mississauga, Ontario); Ashfaq Shuaib (University of Alberta Hospital, Edmonton, Alberta); Denis Simard (Hospital L'Enfant Jesus, Quebec City, Quebec); David Spence (Seibens-Drake/Robarts Research Institute, London, On-

tario); Philip Teal (Vancouver General Hospital, Vancouver, British Columbia); Michael Winger (Windsor Regional Hospital, Tecumseh, Ontario). **Chile:** Gonzalo Matamala, Arturo Jaramillo (Hospital Naval Almirante Nef, Vina Del Mar). **Czech Republic:** Renata Cifkova (Institute for Clinical and Experimental Medicine, Praha); Zbyněk Kalita (Bata Hospital, Zlin); Ivan Rektor (Masaryk University, St. Ann's Hospital, Brno); Hana Rosolova (Faculty Hospital Pilsen, Pilsen); Roman Stipal (Faculty Hospital Ostrava, Ostrava-Poruba); Daniel Vaclavik (Blessed Mary Anthony Hospital, Ostrava). **Denmark:** Gudrun Boysen (Bispebjerg Hospital, Copenhagen NV); Helle Iversen, Allan R. Anderson (Glostrup Hospital, Glostrup); Henrik Sillesen (Gentofte Hospital, Copenhagen). **Finland:** Matti Hillbom (Oulu University Hospital, Oys); Markku Kaste (Helsinki University Hospital, Helsinki); Heikki Numminen (South Karelia Central Hospital, Lappeenranta); Antero Pilke (Kymenlaakso Central Hospital, Kotka); Annikki Salmivaara, Osmo Pammo (Päijät-Häme Central Hospital, Lahti); Juhani Sivenius (Kuopio University Hospital, Kuopio). **France:** Pierre Amarenco (Bichat Hospital, Denis Diderot University, Paris); Jacques Bouliat (Centre Hospitalier Fleyriat, Bourg en Bresse); Thomas de Broucker (Hôpital Delafontaine, St. Denis); François Chollet (Hôpital Purpan, Toulouse); Marie-Helene Maghane (Hôpital Pasteur, Nice); Loïc Milandre (Hôpital de la Timone, Marseille); Thierry Moulin (CHU-Hôpital Jean Minjoz, Besançon); Etienne Roulet (Hôpital Tenon, Paris). **Germany:** Ulrich Bogdahn (Universität Regensburg im Bezirksklinikum, Regensburg); Otto Busse (Klinikum Minden, Minden); H.C. Diener (Universitätsklinikum Essen, Essen); Roman Haberl (Städtisches Krankenhaus Harlaching, München); Gerhard Hamann (Klinikum Großhadern, München); Lutz Harms (Neurologische Poliklinik der Charité, Berlin); Albrecht Hendrich, Germar Krocze (Klinikum Rodach, Bad Rodach); Michael Hennerici (Klinikum Mannheim, Mannheim); Stefan Knecht, Henning Henningsen (Westfälische Wilhelms-Universität, Münster); Christoph Lichy, Armin Grau (Ruprecht-Karls-Universität Heidelberg, Heidelberg); Dirk Sander (Klinikum Rechts der Isar, München); Dietmar Schneider, Jörg Berrouschat (Universitätsklinikum der Universität Leipzig, Leipzig). **Greece:** Climentine Karageorgiou (General State Hospital of Athens 'G Gennimatas', Athens); Aristeidis Kazis (General Hospital 'G Papanikolaou', Thessaloniki); Ioannis Mylonas (General Hospital A.H.E.P.A., Thessaloniki); Pantelis Stathis (1st Therapeutic Institute of Social Security [IKA], Melissia, Athens); Dimitrios Vogiatzoglou (Amalia Fleming Hospital, Melissia, Athens). **Israel:** Nathan Bornstein (Ichilov Hospital, Tel Aviv); Silvia Honigman, Bella Gross (Carmel Hospital, Haifa); Yair Lampl (Wolfson Medical Center, Holon); Jonathan Streifler (Rabin Medical Center, Petach-Tikva). **Italy:** Antonio Capurso (Policlinico Universitario, Bari); Giancarlo Comi, Nicola Canal (Ospedale S. Raffaele, Milano); Lodovico Frattola (Ospedale S. Gerardo, Monza); Carlo Gandolfo (Università di Genova, Genova); Marco Poloni, Angelo Mamoli (Ospedali Riuniti de Bergamo, Bergamo); Umberto Semin (Università di Perugia, Perugia). **Mexico:** Ricardo Rangel Guerra (Hospital Universitario 'Dr. Jose Eleuterio Gonzalez', Monterrey Nuevo Leon). **The Netherlands:** Jacques H. A. de Keyser (University Hospital Groningen, Groningen); Adriaan M. Boon (Oosterscheldeziekenhuizen, Goes); Jacob A. Haas (Twen-

teborg Ziekenhuis, Almelo); Daan J. Kamphuis (Reinier de Graaf Gasthuis, Delft); Paulus L. M. De Kort (St. Elisabeth Ziekenhuis, Tilburg); Peter J. Koudstaal (Erasmus Medisch Centrum, Rotterdam). **New Zealand:** Neil E. Anderson (Auckland Hospital, Auckland); Russell Scott (Christchurch Hospital, Christchurch); Gagrath P. J. Singh (North Shore Hospital, Takapuna). **Poland:** Anna Czlonkowska (Institute of Psychiatry and Neurology, Warszawa); Wieslaw Drozdowski (Bialystok Medical Academy, Bialystok); Zdzislaw Gralewski (Regional Voivodeship Hospital, Sosnowiec); Wojciech Kozubski (Medical Academy Poznan, Poznan); Arleta Kuczynska-Zardzewialy (Wolski Hospital, Warszawa) Ryszard Podemski (Medical Academy Wroclaw, Wroclaw); Zbigniew Stelmasiak (Lublin Medical Academy, Lublin); Andrzej Szczudlik (Jagiellonian University, Krakow). **Portugal:** Carlos Correia (Hospital Sto. Antonio, Porto); Luis Cunha (Hospital da Universidade de Coimbra, Coimbra); José Ferro (Hospital de Santa Maria, Lisboa). **Slovakia:** Jan Lietava (Comenius University, Bratislava); Katarina Raslova (Metabolic Center, Bratislava). **South Africa:** Jonathan Carr (Tygerberg Hospital, Parow); John Gardiner (Constantia MediClinic, Cape Town); Abraham J. Kruger (Universitas Hospital, Bloemfontein). **Spain:** Angel Chamorro (Hospital Clinico, Barcelona); Antonio Dávalos (Hospital Josep Trueta, Girona); José Egido (Hospital Clinico San Carlos, Madrid); Oscar Fernandez (Hospital Carlos Haya, Malaga); José Ramón González Marcos (Hospital Virgen del Rocío, Sevilla); Jordi Matias-Guiu (Hospital General de Alicante, Alicante); Dolores Jiménez (Hospital Universitario de Nuestra Señora de Valme, Sevilla); Aida Lago (Hospital La Fe, Valencia); Carmen Jimenez Martinez (Hospital Son Dureta, Palma de Mallorca); Enrique Mostacero (Hospital Clinico Universitario Lozana Blesa, Zaragoza); Francisco Rubio (Ciudad Sanitaria Universitaria de Bellvitge, Barcelona); José Alvarez Sabin (Hospital Vall d'Hebron, Barcelona); Exuperio Diez Tejedor (Hospital la Paz, Madrid); Manuel González Torres (Hospital Virgen de la Macarena, Sevilla); José Trejo (Hospital General de Yague, Burgos); José Vivancos (Hospital La Princesa, Madrid). **Sweden:** Barbro Leijd (St. Görans Hospital, Stockholm); Ann Charlotte Laska, Thomas Leo (Danderyds Hospital, Danderyd); Tage Strand (Norrlands Universitetssjukhus, Umeå); Andreas Terent (Akademiska Hospital, Uppsala); Anna Wägner (Karolinska Sjukhuset, Stockholm); Torbjörn Wallén (Västervik Hospital, Västervik). **Switzerland:** Ralf Baumgartner (Universitätsspital Zürich, Zürich); Julien Bogousslavsky (Centre Hospitalier Universitaire Vaudois, Lausanne); Hansjörg Hungerbühler (Kantonsspital Aarau (Aarau); Philippe Lyrer (Neurologische Universitätsklinik, Basel); Heinrich Matthe (Neurologische Poliklinik Inselspital, Bern). **United Kingdom:** Philip Bath (Nottingham City Hospital, Nottingham); Enefioke B. Ekpo (Queen Elizabeth Hospital, Woolwich); Anne Freeman (St. Woolos Hospital, Newport); Kennedy R. Lees (Western Infirmary, Glasgow); Hamsaraj G.M. Shetty (University Hospital of Wales, Cardiff); Mary Joan MacLeod, Roelfe Dijkhuizen (Aberdeen Royal Infirmary, Aberdeen); Ronald. S. MacWalter (Ninewells Hospital & Medical School, Dundee); Anil K. Sharma (University Hospital Aintree, Liverpool). **USA:** Gregory Albers (Stanford Stroke Center, Palo Alto, Calif.); Irfan Altafullah (Minneapolis Clinic of Neurology, Golden Valley, Minn.); Oscar Benavente (University of Texas Health Science Center, San Antonio, Tex.); Diane Book (Medical College of Wisconsin, Milwaukee, Wisc.); Joseph Broderick (University of Cincinnati, Cincinnati, Ohio); Christopher Calder (Upstate Clinical Research LLC, Albany, N.Y.); Alfred S. Callahan (Neurologic Consultants, P.C., Nashville, Tenn.); Walter Carlini (Medford Neurological Clinic, Medford, Oreg.); Seeman Chaturvedi (Detroit Medical Center, Detroit, Mich.); Thomas Chippendale (North County Neurology Associates, Oceanside, Calif.); Wayne Clark (Oregon

Stroke Center, Portland, Oreg.); Bruce Coull (Arizona Health Sciences Center, Tucson, Ariz.); Patricia Davis (University of Iowa Hospitals and Clinics, Iowa City, Iowa); Thomas Devlin (Chattanooga Neurology Associates, Chattanooga, Tenn.); Arthur R. Dick (University of Kansas Medical Center, Kansas City, Kans.); George Dooneief (The Neurology Group, P.C., Norristown, Pa.); R. Scott Duff (COX Pharmacotherapy Research Division, Springfield, Mo.); Nordeli Estranza, K. Alvin Lloyd (Blue Ridge Research Center, Roanoke, Va.); Alejandro Fortea (University of Miami, Miami, Fla.); Michael R. Frankel, Terry Jacobson (Grady Health System, Atlanta, Ga.); James L. Frey (Barrow Neurology Clinics, Phoenix, Ariz.); Gary Friday (Bryn Mawr Hospital, Bryn Mawr, Pa.); Jerome Goldstein (San Francisco Clinical Research Center, San Francisco, Calif.); Glenn Graham (VA Medical Center, Albuquerque, N.Mex.); Maxim Hammer, Steven Goldstein, James Gebel (University of Pittsburgh Medical Center, Pittsburgh, Pa.); Wayne Harper (Wake Research Associates, Raleigh, N.C.); Subramanian Hariharan, Souvik Sen (New Jersey Neuroscience Institute, Edison, N.J.); Jonathan Harris (Neurologic Consultants, Fort Lauderdale, Fla.); Barry Hendin (Phoenix Neurological Associates, Phoenix, Ariz.); David C. Hess, (VA Medical Center, Augusta, Ga.); Richard Hinton (Neurology Consultants, Dallas, Tex.); Joshua Hollander (Rochester General Hospital, Rochester, N.Y.); Richard L. Hughes (Denver General Hospital, Denver, Colo.); Scott Kasner (University of Pennsylvania Medical Center, Philadelphia, Pa.); T.A. Kent (University of Texas Medical Division, Galveston, Tex.); Lance Kim (RENSTAR Medical Research, Ocala, Fla.); Howard Kirshner (Vanderbilt University Medical Center, Nashville, Tenn.); Marian LaMonte (University of Maryland Medical Center, Baltimore, Md.); Lucy Y. Ledbetter (Neurology Center of Middle Tennessee, Columbia, Tenn.); Kenneth Levin (Neurology Group of Bergen County, Ridgewood, N.J.); Richard Libman (Long Island Jewish Health Systems, New Hyde Park, N.Y.); John Matlock (San Antonio Preventive & Diagnostic Medicine, PA, San Antonio, Tex.); Paul McDowell (Private practice, Huntsville, Ala.); Francis E. McGee (Neurological Associates Inc., Richmond, Va.); Brett Meyer, Christy Jackson (San Diego Stroke Center, San Diego, Calif.); Alireza Minagar, Aurora Pajeau (LSU Medical Center, Shreveport, La.); Frederick E. Munschauer (Buffalo General Hospital, Buffalo, N.Y.); Richard Munson (Evanston Northwestern Healthcare, Evanston, Ill.); Marshall Nash (DeKalb Neurology Associates, Decatur, Ga.); Abdullah Nassief, Chung Hsu (Washington University School of Medicine, St. Louis, Mo.); Sean C. Orr, Roekchai Tulyapronchote, Camilio Gomez (Department of Neurology, Birmingham, Ala.); Gerald Ratinov (Christus St. Joseph Medical Place, Houston, Tex.); Virgil Salanga, Bhuvaneswari K. Dandapani (Cleveland Clinic Florida, Weston, Fla.); Scott Silliman (University of Florida Health Sciences Center, Jacksonville, FL); Richard Singer (Neurology Clinical Research Inc., Plantation, Fla.); Don Smith (Colorado Neurological Institute Stroke Program, Englewood, Colo.); Herman Sullivan (Michigan Medical PC, Grand Rapids, Mich.); David Thaler (New England Medical Center, Boston, Mass.); Gretchen Tietjen (Medical College of Ohio, Toledo, Ohio); Michael Tuchman (Palm Beach Neurological Group, Palm Beach Gardens, Fla.); David Uskavitch (St. Thomas Medical Plaza, Nashville, Tenn.); Ralph Vicari (Melbourne Internal Medicine Associates, Melbourne, Fla.); Richard Weinstein (Diablo Clinical Research, Walnut Creek, Calif.); Janet Wilterdink (Rhode Island Hospital, Providence, R.I.); Richard Zweifler (USA Medical Center, Mobile, Ala.); Piero Verro (University of California-Davis, Sacramento, Calif.); Marilyn Rymer (Center for Clinical Neurological Studies, LC, Kansas City, Mo.). **Venezuela:** Mario de Bastos (Hospital Universitario de Caracas, Caracas).